

Installation Manual HBU-G2 HIGH BAY UFO LED GEN 2







IMPORTANT SAFETY PRECAUTIONS

Before you begin, read these instructions completely and carefully.

- · Be certain electrical power is OFF before and during installation, maintenance and removal.
- · Luminaire wiring must be properly grounded in accordance with the NEC and any applicable local code requirements.
- Use only UL or IEC approved wire for input/output connections.
- · Verify that supply voltage matches voltage on luminaire label. Installation to any other connection may void the warranty.
- · Wear gloves during installation to prevent injury and do not expose wiring to metal or sharp edges.
- · Do not install in areas subject to combustible vapors or gases. Verify luminaire location ratings are suitable for installation environment (refer to specification sheet as needed).
- · Do not restrict luminaire's ventilation by covering with material that will cause luminaire to overheat and potentially shorten the life span.
- Ensure LED luminaire has the correct polarity before installation.




WARNING: To reduce the risk of personal injury or property damage from fire, electrical shock, falling parts, abrasions, burns and all other hazards, read all provided warnings and follow installation instructions.


This product should be installed, inspected and maintained by a qualified and licensed electrician. Installation of luminaire must be in accordance with NEC and local code requirements.

SAVE THESE INSTRUCTIONS



DIMENSIONS






INSTALLATION INSTRUCTIONS (U BRACKET)

A) Insert screws through the bracket and tighten. (FIGURE 1)

B) Lock with screwdriver. (FIGURE 2)

C) Make wiring connections. Installation is complete. 🐽



INSTALLATION INSTRUCTIONS (HOOK)


A) Secure hook to fixture, twisting to lock hook in place. (FIGURE 3)


B) Tighten the screw on the side.

C) Hang fixture. (FIGURE 4)

D) Use screw to secure fixture. Prior to making wiring connections and restoring power to fixture, set the desired wattage. (FIGURE 5)

E) Make wiring connections. Installation is complete. 🐽






SENSOR INSTALLATION

A) Unscrew the plug screws and remove, exposing the base. (FIGURE 6 & 7)

B) Twist sensor into base until secure. (FIGURE 8)








FIGURE 6

FIGURE 7

FIGURE 8

SAVE THESE INSTRUCTIONS

2



WIRING CONNECTION

A) Turn off power.

- B) Connect AC wire.
- C) Black wire to L
- D) White wire to N
- E) Green wire to E
- **F)** If dimming, make connections as shown in diagram on right.




FIGURE 9

SAVE THESE INSTRUCTIONS

3