PEACOCK FAN COMPANY

PROJECT

DATE

COMMENTS

10-YEAR MOTOR WARRANTY | 2-YEAR WARRANTY | DRY LOCATION | ETL Intertek

IN STOCK



MESOS CEILING FAN

Mesos is an interior rated six blade ceiling fan with a 6-speed DC motor available in two sizes in a black finish. Mesos comes standard with a remote control or an optional wall control ordered separately.

- Garage
- Commercial
- Hospitality

PHYSICAL

Material	Metal
Blade Material	6 Aluminum Blades
Mounting	Suspended
Fan Diameter	60”, 72”, 84”
Housing Finish	Black or Satin Nickel
Blade Finish	Aluminum
Sloped Ceiling Accommodation	30°

PERFORMANCE

Warranty	10 years for motor, 2 years for light kit, blade, housing, and cap
Certification	Dry Location, ETL
Features	Low Noise
Reversible	Yes

ENERGY CHART

SPEED SETTING	1	2	3	4	5	6
RPM	153	172	186	200	217	238
Amps	0.04	0.05	0.07	0.09	0.12	0.16
Wattage	6.10	8.60	11.40	15.80	21.50	37.30
CFM	7000	7200	7300	7500	7800	8000
CFM/Watts	0.89	0.89	0.9	0.91	0.92	0.93

ELECTRICAL

Motor Wattage	35W
Voltage	120V
Motor	DC Motor
Control	6-Speed Remote Control Included

ORDERING LOGIC

EX: MESOS-60-NL-BK

FAMILY	SIZE Diameter	LIGHT KIT / CCT	HOUSING FINISH
MESOS		**NL**	**BK**
	60 60”	**NL** No Light Kit CAP PROVIDED	**BK** Black
	72 72”		

DOWNROD ORDERING LOGIC & ACCESSORIES ORDERING LOGIC ON PAGE 2

DOWNROD ORDERING LOGIC (ORDER SEPARATELY)

EX: DR-G-SN-24

FAMILY	FINISH		LENGTH*	
DR-G				
	SN	Satin Nickel	**24**	24"
	BK	Black	**36**	36"
	WH	White	**48**	48"

ORDERING NOTES

* Other downrod lengths available upon requests.
* Standard downrod length is 8”

ACCESSORIES ORDERING LOGIC (ORDER SEPARATELY)

EX: 6WC-DIM-G-60


ACCESSORIES	
6WC-DIM-G-60*	6-Speed Fan and Light Kit Dimmer Wall Control (60” Size) CLICK HERE FOR ACCESSORY SPECIFICATION SHEET
6WC-DIM-G-72*	6-Speed Fan and Light Kit Dimmer Wall Control (72” Size) CLICK HERE FOR ACCESSORY SPECIFICATION SHEET
6WC-DIM-G-84*	6-Speed Fan and Light Kit Dimmer Wall Control (94” Size) CLICK HERE FOR ACCESSORY SPECIFICATION SHEET
EW-G-60	60inch Wire Extension Downrod Kit with Quick Connectors

ORDERING NOTES


* Max distance from 6WC-DIM wall control to the fan receiver is 30ft due to internal transmitter inside wall control.

DIMENSIONS

MESOS-60
WITHOUT LIGHT KIT



MESOS-72
WITHOUT LIGHT KIT




STANDARD REMOTE CONTROL

6RC-WH




DIMENSIONS



FUNCTIONS

1. Fan ON/OFF Function
2. Fan Speed Settings (1: Lowest / 6: Highest)
3. Natural Wind: Automatic Fan Speeds
4. Light ON Function
5. Light OFF Function
6. Reverse Fan Direction (Reverse Switch)
7. Thermostat:
   - When temperature is greater than 82.4°F(28°C), the fan starts at Speed 6
   - When temperature is greater than 73.4°F(23°C), the fan starts at Speed 3
   - When temperature is lower than 73.4°F(23°C), the fan stops
8. Timer (1 hr / 4 hr / 8 hr)



WALL CONTROL ACCESSORIES

6WC-DIM



6WC-DIM DIMENSIONS

