

PROJECT

DATE

COMMENTS



6WC-DIM FAN AND LIGHT WALL CONTROL

6WC-DIM is a combo fan speed and light kit dimmer wall control that pairs with the KIWI, CIRRUS, MESOS, BLAZE, FOG, IBIS, MALLARD, and JAY ceiling fans. Functions include 6-speed motor settings, on/off fan control, on/off LED light kit control, dimming for LED light kit, direction of fan, and on/off control for the power supply (both the fan motor and LED light kit). This control also includes a memory function where the status of the fan speed and direction is saved when the power supply is turned off. When the power supplied is turned on again the previous saved setting is reloaded. The default setting for the LED light kit when turning on the power supply is full brightness.

- Residential
- Commercial
- Hospitality

PERFORMANCE

Warranty	2 years
Certification	ETL

ELECTRICAL

Voltage				120V
---------	--	--	--	------

COMPATIBLE FANS

KIWI CEILING FAN LED	FOG CEILING FAN LED
CIRRUS CEILING FAN	IBIS CEILING FAN LED
MESOS CEILING FAN LED	MALLARD CEILING FAN E26
BLAZE CEILING FAN LED	JAY CEILING FAN LED

ORDERING LOGIC


FAMILY

6WC-DIM

EX: 6WC-DIM




DIMENSIONS



WALL CONTROL FUNCTIONS

- 1. LED Indicator Light
- 2. ON/OFF for fan
- 3. <u>Short Press:</u> ON/OFF for light Long Press (hold for 5 seconds): Dimmer
- 4. Direction of the fan (Reverse Switch)
- 5. Fan Speed Settings
- 6. OFF for power supply (fan and light)
- 7. ON for power supply (fan and light)





WIRING DIAGRAM

