



# DUNTON HOUSE

## DECORATIVE LIGHTING

### REFLECTIONS ANTI-FOG ILLUMINATED MIRROR LED


PROJECT  DATE

COMMENTS



#### PHYSICAL

Mirror	Copper Free, Silver Backed
Frame	Anodized Aluminum
Mounting	Wall Mount
Source	LED



#### PERFORMANCE

Warranty	3 years
Certification	UL, RoHS Compliant
IP Rating	IP44
Rated Life	50,000 hours
CCT	Single CCT: 2700K, 3000K, 4000K, 5000K, 6000K, Field Selectable 3CCT: (30K/35K/40K), Tunable White: 3000K-6000K
CRI	80+

#### ELECTRICAL

Wattage	See Energy Chart on Page 2
Voltage	120V 50Hz
Power Factor	>0.9
Dimmable	Hard Wire or Touch Button

#### ORDERING LOGIC

EX: REFLECTIONS-2436-27

FAMILY	SIZE <sup>1</sup>	CCT	CONTROL OPTIONS
REFLECTIONS	<b>2436</b> 24" X 36"	<b>27</b> 2700K	<b>HWELV</b> Hard Wire ELV Dimmable
	<b>2432</b> 24" X 32"	<b>30</b> 3000K	<b>HW010</b> Hard Wire 0-10V Dimmable
	<b>3042</b> 30" X 42"	<b>40</b> 4000K	<b>TB</b> Touch Button Dimmable
	<b>3636</b> 36" X 36"	<b>50</b> 5000K	<b>PB</b> Push Button On/Off
	<b>3648</b> 36" X 48"	<b>60</b> 6000K	<b>OS</b> Microwave Occupancy Sensor On/Off
	<b>3660</b> 36" X 60"	<b>FS3</b> Field Selectable <small>3000K / 3500K / 4000K, TOUCH BUTTON CONTROL ONLY</small>	
	<b>4040</b> 40" X 40"	<b>TW</b> Tunable White <small>3000K - 6000K, TOUCH BUTTON CONTROL ONLY</small>	

#### ORDERING NOTES

- 1 Custom sizes available upon request, consult factory for details and pricing.
- 2 50pcs minimum order quantity required if mirror not in stock.




**ENERGY CHART**

SIZE	WIDTH inches	HEIGHT inches	ANTI-FOG SIZE inches	CCT	DELIVERED LUMENS	WATTAGE	EFFICACY lm/w
2436	24	36	13.8 X 17.7	Single	1500	LED LIGHT: 30   ANTI-FOG: 47 TOTAL: 74	50
				FS3	900	LED LIGHT: 18   ANTI-FOG: 47 TOTAL: 63	50
2432	24	32	13.8 X 15.7	Single	1400	LED LIGHT: 28   ANTI-FOG: 42 TOTAL: 67	50
				FS3	1400	LED LIGHT: 28   ANTI-FOG: 42 TOTAL: 67	50
3042	30	42	15.7 X 19.7	Single	1900	LED LIGHT: 38   ANTI-FOG: 60 TOTAL: 94	50
				FS3	1150	LED LIGHT: 23   ANTI-FOG: 60 TOTAL: 81	50
3636	36	36	19.7 X 15.7	Single	1900	LED LIGHT: 38   ANTI-FOG: 60 TOTAL: 94	50
				FS3	1150	LED LIGHT: 23   ANTI-FOG: 60 TOTAL: 81	50
3648	36	48	17.7 X 21.7	Single	2250	LED LIGHT: 45   ANTI-FOG: 74 TOTAL: 115	50
				FS3	1350	LED LIGHT: 27   ANTI-FOG: 74 TOTAL: 98	50
3660	36	60	17.7 X 31.5	Single	2600	LED LIGHT: 52   ANTI-FOG: 108 TOTAL: 155	50
				FS3	1550	LED LIGHT: 31   ANTI-FOG: 108 TOTAL: 136	50
4040	40	40	19.7 X 19.7	Single	2100	LED LIGHT: 42   ANTI-FOG: 75 TOTAL: 113	50
				FS3	1250	LED LIGHT: 25   ANTI-FOG: 75 TOTAL: 98	50


**APPROVED DIMMERS**

- LUTRON SKYLARK SELV-300P-AL
- LUTRON Diva DVELV-300P-AL
- LUTRON(Diva) DVCL-153P
- LUTRON MACL-153M
- LUTRON MRF2-600M
- LUTRON MSCL-OP153M
- LUTRON(Lumea) LGCL-153P
- LEVITON 1C1705


**DIMENSIONS**
**24 X 36**


**DIMENSIONS**

**24 X 32**




**30 X 42**




**DIMENSIONS**

**36 X 36**




**36 X 48**



**DIMENSIONS**

**36 X 60**



**40 X 40**

