

PROJECT

DATE

COMMENTS



DISCONTINUED



ENERGY CHART		
LUMENS	WATTAGE	EFFICACY lm/w
18,000	100	180
27,000	150	180
36,000	200	180
43,200	240	180
54,000	300	180
72,000	400	180
90,000	500	180
108,000	600	180
129,600	720	180
144,000	800	180
180,000	1000	180
216,000	1200	180
270,000	1500	180
324,000	1800	180
360,000	2000	180
450,000	2500	180

SLM SPORTS LIGHT MAX LED

The SLP Sports Light Max LED offers a high power, anti-glare system for the outdoors that is 2-10 times brighter than a conventional light.

- Parks
- Stadiums
- Outdoor

PHYSICAL

Material	Aluminum Alloy
Bracket Material	Stainless Steel
Mounting	Joint U-Bracket
Lens	PMMA
Finish	Black, Blue, Red, Silver
CCT	3000K, 4000K, 5000K, 5700K, 6500K
CRI	75-85+, 90-96+
Beam Angle	10°, 25°, 45°, 70°, 90°

PERFORMANCE

Warranty	5 years
Certifications	ETL, CE, DLC, ROHS Compliant
IP Rating	IP66
IK Rating	IK10
Rated Life	>100,000 hours
Operating Temperature	-40°C to 55°C (-40°F to 131°F)

ELECTRICAL

Voltage	100-277VAC, 347-480VAC
Power Factor	0.96
Dimmable	Dali, Zigbee, 1-10V Options Available

ORDERING LOGIC

EX: SLM-100-10-30-10-BK


FAMILY	WATTAGE				VOLTAGE		CCT		BEAM ANGLE		FINISH		OPTIONS	
SLM														
	100	100W	720	720W	10	100-277VAC STANDARD	30	3000K	10	10°	BK	Black	DALI	Dali Dimming
	150	150W	800	800W	34	347-480VAC	40	4000K	25	25°	BL	Blue	ZB	Zigbee Dimming
	200	200W	1000	1000W			50	5000K	45	45°	RD	Red	1-10	1-10V Dimming
	240	240W	1200	1200W			57	5700K	70	70°	SL	Silver		
	300	300W	1500	1500W			65	6500K	90	90°				
	400	400W	1800	1800W										
	500	500W	2000	2000W										
	600	600W	2500	2500W										




DIMENSIONS

100W


Front




Side



Bottom




Top




150W


Front




Side



Bottom




Top




200W


Front




Side



Bottom




Top




DIMENSIONS

300W


Front




Side



Button




Top




400W


Front




Side



Button




Top




500W


Front




Side



Button




Top




DIMENSIONS

600W


Front




Side



Button




Top




800W


Front




Side



Button




Top




1000W


Front




Side



Button




Top




DIMENSIONS

1500W


Front




Side



Button




Top




2000W


Front




Side



Button




Top




2500W


Front



Side



Button



Top

