

MULTI-FAMILY COLLECTION



TABLE OF CONTENTS





SAGE BRANDS

UNIT INTERIOR *4-9*

- Fans
- Flush Mounts
- Exterior Sconces
- Under Cabinet
- Pendants & Chandeliers
- Vanities
- Surface Mount Downlights

CORRIDOR *10*

- Sconces
- Recessed & Surface Mount Downlights

BACK OF HOUSE *11*

- Garage & Stairwell
- Exit & Emergency

EXTERIOR SPACE *12-13*

- Step Lights
- Building Mounted
- Bollards
- Post Tops
- Area & Poles

PRODUCT INDEX *14-15*



FANS

Available with multiple finish & control options



FINCH
CEILING FAN E26 LED



ROBIN
CEILING FAN E26 LED

Also available with 4-blades, 5-blades
and an integral LED source



FLURRY
CEILING FAN E26 LED

Also available as an integral LED source



SPARROW
CEILING FAN E26 LED



THRUSH
CEILING FAN E26 LED



AUK
CEILING FAN LED



TODY
CEILING FAN LED
Available in two sizes: 44" and 52"



LARK
CEILING FAN LED



UNIT INTERIOR



FLUSH MOUNTS



BARS
FLUSH MOUNT LED



CODY
FLUSH MOUNT LED



MORGAN
FLUSH MOUNT LED

EXTERIOR SCONCES



RWC-ADA
ROUND WALL CYLINDER LED DIRECT



CLARK-WL
EXTERIOR SCONCE E26
Also available as an LED source with opal lens



LEWIS-WL
EXTERIOR SCONCE E12
Also available as an LED source

UNIT INTERIOR




UNDER CABINET



UCS
UNDER CABINET SELECTABLE LED



SW-ECO
STATIC WHITE LED TAPELIGHT



SF-SM-017
SURFACE TAPELIGHT
EXTRUSION




D-60W-JB
60W CONSTANT VOLTAGE LED
DRIVER 5 IN 1 DIMMING FUNCTION

PENDANTS & CHANDELIERS



LEWIS-MP
MINI PENDANT E12



LEWIS-C-3
CHANDELIER E12



LEWIS-C-5
CHANDELIER E12

*Chandeliers available with chain or stem mounting
Mini Pendant available with cable or stem mounting*



CLARK-MP
MINI PENDANT E26



CLARK-C-3
CHANDELIER E26



CLARK-C-5
CHANDELIER E26

*Chandeliers available with chain or stem mounting
Mini Pendant available with cable or stem mounting*



DROP-MP
MINI PENDANT E26



DROP-C-3
CHANDELIER E26



DROP-C-5
CHANDELIER E26

*Chandeliers available with chain or stem mounting
Mini Pendant available with cable or stem mounting*



CLOE
PENDANT GU10



CLOE-3
PENDANT GU10



FLOE-MP
MINI PENDANT E26



BLUFF
PENDANT E26

VANITIES



CLARK-4
VANITY E26



LEWIS-4
VANITY E12



CLARK-3
VANITY E26



CLARK-2
VANITY E26



LEWIS-3
VANITY E12



LEWIS-2
VANITY E12

Also available as a 1-light vanity


Also available as a 1-light vanity



DROP-4
VANITY E26



KATANA
VANITY LED



GLAIVE
VANITY LED




DROP-3
VANITY E26



DROP-1
VANITY E26



SABRE
VANITY LED



STEEL
VANITY LED



STYLET
VANITY LED



STILETTO
VANITY LED




SURFACE MOUNT DOWNLIGHTS



SDL
SLIM DISK LIGHT LED



ADL
ARCHITECTURAL DISK LED



SPR-WL
SLIM PANEL ROUND LED WET LOCATION

CORRIDOR



SCONCES



JUT
SCONCE LED



ALBA-1
WALL SCONCE LED


Also available as 2-light, 3-light, and 4-light




HALO
WALL SCONCE LED

RECESSED & SURFACE MOUNT DOWNLIGHTS

For more options refer to Surface Mount Downlights (Page 9) and Flush Mounts (Page 5)



NCH4-IC-FR
NEW CONSTRUCTION HOUSING
4-INCH IC RATED FIRE RATED




RAR
ROUND ADJUSTABLE DOWNLIGHT
RETROFIT LED




RDR
ROUND DOWNLIGHT RETROFIT LED



FBO
FIRE RATED JUNCTION BOX OCTAGONAL



JBEM
JUNCTION BOX EMERGENCY BATTERY



SPR-7-EM
SLIM PANEL ROUND LED
EMERGENCY BATTERY

BACK OF HOUSE

GARAGE & STAIRWELL



VT
VAPOR TIGHT LED



LSR
LENSED STRIP ROUND LED



CP
CANOPY LED

EXIT & EMERGENCY



ELR
EDGE-LIT EXIT RECESSED LED



EX
THERMOPLASTIC EXIT LED



EXC
THERMOPLASTIC EXIT COMBO LED



EMR1
EMERGENCY LIGHT ROUND HEADS LED




EMR2
EMERGENCY LIGHT ROUND HEADS LED



EMOWP
EMERGENCY OVAL WALL PACK LED
DUSK-TO-DAWN

STEP LIGHTS



SLVR
STEP LIGHT VERTICAL RECESSED LED



SLHR
STEP LIGHT HORIZONTAL RECESSED LED



SL8L
STEP LIGHT 8" LOUVER LED

BUILDING MOUNTED



RWC-DI-G2
ROUND WALL CYLINDER LED DIRECT/INDIRECT GEN 2



RWC-G2
ROUND WALL CYLINDER LED DIRECT GEN 2



RWC-ADA
ROUND WALL CYLINDER LED DIRECT



BOLLARDS



BR10
BOLLARD LED

EXTERIOR SPACE



POST TOPS



PTR-QS
POST TOP ROUND LED QUICK SHIP

AREA & POLES



PLP-G2
PARKING LOT PERFORMANCE LED GEN 2



SSS
SQUARE STRAIGHT STEEL POLE

FANS	SIZE	CERTIFICATIONS	FINISHES	PAGE
FINCH CEILING FAN E26 LED	17.3" H / 52" Dia.	UL, Dry Location	BK, BN, WH	4
FLURRY CEILING FAN E26 LED	17.3" H / 52" Dia.	UL, Dry Location	BK, BN, WH	4
SPARROW CEILING FAN E26 LED	17.3" H / 52" Dia.	UL, Dry Location	BK, BN, WH	4
ROBIN CEILING FAN E26 LED	15.5" H / 52" Dia.	UL, Dry Location	MB, ORB, PB, SN, SS, WH + 19 Blade Finishes	4
THRUSH CEILING FAN E26 LED	14.5" H / 52" Dia.	UL, Dry Location	MB, ORB, PB, SN, SS, WH + 19 Blade Finishes	4
AUK CEILING FAN LED	15" or 15.5" H / 52" Dia.	ETLus, Dry/Damp Location	BK, BRN, WH, SN, CP, SS, GWG + 8 Blade Finishes	4
TODY CEILING FAN LED	14.4" H / 44" Dia. 14.6" H / 52" Dia.	cETLus, Dry Location	WH, MB/BW	4
LARK CEILING FAN LED	13.1" H / 56" Dia.	cETLus, Wet Location	BN/DW, MB/BW, MB/BK	4

FLUSH MOUNTS

BARS FLUSH MOUNT LED	12", 14" or 16" Dia.	ETL, Energy Star, Damp Location	BK, BN	5
CODY FLUSH MOUNT LED	13", 15" or 17" Dia.	UL, cETLus, Energy Star, Damp Location, IP20	BK/GD, WH/GD	5
MORGAN FLUSH MOUNT LED	13" or 15" Dia.	ETL, IP20	BK/GD, WH/GD	5

EXTERIOR SCONCES

RWC-ADA ROUND WALL CYLINDER LED DIRECT	6.3" H / 4.5" W / 4" D	cETLus, Wet Location, ADA Compliant, IP65	BK	5
LEWIS-WL EXTERIOR SCONCE E12	9.5" H / 4.5" W / 4.5" D	ETL, Wet Location, ADA Compliant	BK, BK/GD, BN	5
CLARK-WL EXTERIOR SCONCE E26	13" H / 6" W / 8" D	ETL, Wet Location	BK, BK/GD, BN	5

UNDER CABINET

UCS UNDER CABINET SELECTABLE LED	8", 16", 24" or 32" Length	cETLus	WH	6
SW-ECO STATIC WHITE LED TAPELIGHT	Standard 16' Reel or Pre-Cut	UL, cULus, CE, RoHS, IP20 or IP67	—	6
SF-SM-017 SURFACE TAPELIGHT EXTRUSION	Standard 6.6' or Pre-Cut	—	BK, SL, WH	6
D-60W-JB 60W CONSTANT VOLTAGE LED DRIVER 5 IN 1 DIMMING FUNCTION (With Integrated Junction Box)	1.4" H / 12.6" W / 2.3" D	cULus, RoHS, Dry/Damp Location, IP65	BK	6

PENDANTS & CHANDELIERS*

LEWIS-MP MINI PENDANT E12	8" H / 3.8" Dia.	ETL, IP20	BK, BK/GD, BN	7
LEWIS-C-3 CHANDELIER E12 (3 lamp)	15.3" H / 18" Dia.	ETL, IP20	BK, BK/GD, BN	7
LEWIS-C-5 CHANDELIER E12 (5 Lamp)	15.3" H / 21" Dia.	ETL, IP20	BK, BK/GD, BN	7
CLARK-MP MINI PENDANT E26	8.5" H / 6.3" Dia.	ETL, IP20	BK, BK/GD, BN	7
CLARK-C-3 CHANDELIER E26 (3 Lamp)	9.6" H / 20.5" Dia.	ETL, IP20	BK, BK/GD, BN	7
CLARK-C-5 CHANDELIER E26 (5 Lamp)	9.6" H / 35" Dia.	ETL, IP20	BK, BK/GD, BN	7
DROP-MP MINI PENDANT E26	7.8" H / 3.9" Dia.	ETL, IP20	BK, BR, ORB, BN, CH	7
DROP-C-3 CHANDELIER E26 (3 Lamp)	15.3" H / 16.1" W	ETL, IP20	BK, BR, ORB, BN, CH	7
DROP-C-5 CHANDELIER E26 (5 Lamp)	17" H / 20.8" W	ETL, IP20	BK, BR, ORB, BN, CH	7
CLOE PENDANT GU10	12.3" H / 4" W	cETLus, Dry Location	MB, CH	7
CLOE-3 PENDANT GU10	17.3-67.3" H / 10.8" W	cETLus, Dry Location	MB, CH	7
FLOE-MP PENDANT E26	13" H / 5.8" Dia.	cETLus, CE, RoHS	CH	7
BLUFF PENDANT E26	7.6" H / 8" Dia.	cETLus, RoHS	MB, BR	7

VANITIES

CLARK-1 VANITY E26	11.8" H / 6.3" W / 7.5" D	ETL, IP20	BK, BK/GD, BN	—
CLARK-2 VANITY E26	11.8" H / 16" W / 7.5" D	ETL, IP20	BK, BK/GD, BN	8
CLARK-3 VANITY E26	11.8" H / 23.5" W / 7.5" D	ETL, IP20	BK, BK/GD, BN	8
CLARK-4 VANITY E26	11.8" H / 32" W / 7.5" D	ETL, IP20	BK, BK/GD, BN	8
LEWIS-1 VANITY E12	9.4" H / 4.5" W / 4.8" D	ETL, IP20	BK, BK/GD, BN	—
LEWIS-2 VANITY E12	9.4" H / 13.5" W / 4.8" D	ETL, IP20	BK, BK/GD, BN	8
LEWIS-3 VANITY E12	9.4" H / 22" W / 4.8" D	ETL, IP20	BK, BK/GD, BN	8
LEWIS-4 VANITY E12	9.4" H / 30.8" W / 4.8" D	ETL, IP20	BK, BK/GD, BN	8
DROP-1 VANITY E26	9.8" H / 4.5" W / 6" D	ETL, IP20	BK, BR, ORB, BN, CH	8
DROP-3 VANITY E26	9.4" H / 20.3" W / 5.8" D	ETL, IP20	BK, BR, ORB, BN, CH	8
DROP-4 VANITY E26	9.4" H / 27.4" W / 5.8" D	ETL, IP20	BK, BR, ORB, BN, CH	8
KATANA VANITY LED	18", 24", 30", 36" Length	ETL, RoHS	BK, BZ, CH, SN	8
GLAIVE VANITY LED	18", 24", 30", 36" Length	ETL, RoHS	BK, BZ, CH, SN	8
SABRE VANITY LED	18", 24", 36" Length	UL, RoHS, ADA Compliant	MB, BZ, BN, WH	8
STEEL VANITY LED	18", 24", 36", 48" Length	cETLus, Energy Star, Damp Location	BK, BN, CH, WH	8
STYLET VANITY LED	18", 24", 36", 48" Length	cETLus, Energy Star, Damp Location	BK, BN, WH	8
STILETTO VANITY LED	18", 24", 36", 48" Length	cETLus, Energy Star, Damp Location	BK, BN, WH	8

SURFACE MOUNT DOWNLIGHTS

	SIZE	CERTIFICATIONS	FINISHES	PAGE
ADL ARCHITECTURAL DISK LED	6" or 7.8" Dia.	cETLus, UL, Damp Location, IP20	BK, SN, WH	9
SDL SLIM DISK LIGHT LED	5.9" or 7.3" Dia.	ETL, Energy Star, Title 24	WH, BZ, BK	9
SPR-WL SLIM PANEL ROUND LED WET LOCATION	5.5", 7.5" or 8.9" Dia.	cETLus, Energy Star, Wet Location	BK, BZ, BN, WH	9
SPR-7-EM SLIM PANEL ROUND LED EMERGENCY BATTERY	1.1" H / 7.4" Dia.	cETLus, IP20	WH	10

RECESSED DOWNLIGHTS

NCH4-IC-FR NEW CONSTRUCTION HOUSING 4-INCH IC RATED FIRE RATED	5.9" H / 15.02" W / 8.2" D	cETLus, UL, IC Rated, 2 Hour Fire Rated	—	10
FBO FIRE RATED JUNCTION BOX OCTAGONAL	2.4" H / 16.8" W / 7.8" D	UL, IC Rated, Title 24, Damp Location	—	10
JBEM JUNCTION BOX EMERGENCY BATTERY	2.96" H / 8.5" W / 5.13" D	cULus, IP20	GR	10
RAR ROUND ADJUSTABLE DOWNLIGHT RETROFIT LED	5.4" or 7.7" Dia.	ETL, Energy Star, Wet Location	WH	10
RDR ROUND DOWNLIGHT RETROFIT LED	4.0" or 6.0" Dia.	cETLus, Energy Star, Damp Location	WH	10

SCONCES

ALBA-1 WALL SCONCE LED	6" H / 8.3" W / 5" D	ETL, Energy Star, Damp Location	SN	10
HALO WALL SCONCE LED	10.6" H / 9.2" W / 3.9" D	cULus, Damp Location, ADA Compliant	BN	10
JUT SCONCE LED	15.5" H / 4.3" W / 3" D	ETL, Damp Location, IP20, ADA Compliant	BN, BK, BZ, GD	10

GARAGE & STAIRWELL

CP CANOPY LED	3.3" H / 9.6" W / 9.6" D	cETLus, Wet Location, IP65	BZ	11
LSR LENSED STRIP ROUND LED	2', 4', 8' Length	cULus, DLC Premium, Damp Location	WH	11
VT VAPOR TIGHT LED	2', 4', 8' Length	cULus, DLC, NEMA 4, NSF, IP65	GR	11

EXIT & EMERGENCY

ELR EDGE-LIT EXIT RECESSED LED	6.8" H / 11.2" W / 0.3" D	cULus, RoHS	Clear, Mirror or WH	11
EMR1 EMERGENCY LIGHT ROUND HEADS LED	—	cULus, IP40	WH	11
EMR2 EMERGENCY LIGHT ROUND HEADS LED	4.3" H / 11" W / 2.7" D	cULus, UL 94V-0 Flame Rating, IP40	WH	11
EX THERMOPLASTIC EXIT LED	7.5" H / 11.6" W / 1.8" D	cULus, UL 94V-0 Flame Rating, IP20	WH	11
EXC THERMOPLASTIC EXIT COMBO LED	8" H / 16.1" W / 4.4" D	cULus, UL 94V-0 Flame Rating, IP20	WH	11
EMOWP EMERGENCY OVAL WALL PACK LED DUSK-TO-DAWN	10.4" H / 6.3" W / 3.9" D	UL, UL 94V-0 Flame Rating, IP65, Wet Location	BZ	11

STEP LIGHTS

SLHR STEP LIGHT HORIZONTAL RECESSED LED	2.9" H / 4.8" W	ETL, RoHS, Wet Location, IP65	BK, ORB, SD, SL, WH	12
SLVR STEP LIGHT VERTICAL RECESSED LED	4.7" H / 2.9" W	ETL, CE, RoHS, Wet Location, IP65	BK, ORB, WH	12
SL8L STEP LIGHT 8" LOUVER LED	3.3" H / 8.6" W	cETLus, Wet Location, IP65	ORB, SN	12

BUILDING MOUNTED

RWC-ADA ROUND WALL CYLINDER LED DIRECT	6.3" H / 4.5" W / 4" D	cETLus, Wet Location, IP65, ADA Compliant	BK	12
RWC-G2 ROUND WALL CYLINDER LED DIRECT GEN 2	6.5" H / Ø4.3" W / 7" D	cULus, RoHS, Wet Location, IP65	BK, BZ, WH, GR	12
RWC-DI-G2 ROUND WALL CYLINDER LED DIRECT/INDIRECT GEN 2	11.6" H / Ø4.3" W / 7" D	cULus, RoHS, Wet Location, IP65	BK, BZ, WH, GR	12

BOLLARDS

BR10 BOLLARD LED	42" H / Ø9.3" W	cULus, DLC, IP65	BZ	12
------------------	-----------------	------------------	----	----

POST TOPS























PTR-QS POST TOP ROUND LED QUICK SHIP	20" H / Ø14.2" W	cETLus, DLC, IP65	BK	13
--------------------------------------	------------------	-------------------	----	----

AREA & POLES

PLP-G2 PARKING LOT PERFORMANCE LED GEN 2	11-15.7" W / 13-19.3" D	cULus, DLC, RoHS, IDA, Wet Location	BZ, BK, WH, GR, SL, Platinum Bronze	13
SSS SQUARE STRAIGHT STEEL POLE	Height from 12' to 30'	—	BZ	13

FINISHES

Finish codes listed may differ from product specification sheets.

 BK Black	 MB Matte Black	 WH White	 GR Gray	 BRN Brown
 BR Brass	 PB Polished Brass	 BN Brushed Nickel	 SN Satin Nickel	 CP Champagne
 BZ Bronze	 ORB Oil-Rubbed Bronze	 SD Sand	 MB/BW Matte Black w/ Dark Brown Wood Blades	
 SS Stainless Steel	 SL Silver	 CH Chrome	 MB/BK Matte Black w/ Black Blades	
 BK/GD Black + Gold	 WH/GD White + Gold	 GWG Gray Wood Grain	 BN/DW Brushed Nickel w/ Dark Driftwood Blades	



sage.lighting
sales@sage.lighting
877-677-SAGE (7243)

PUBLISHED: 08-17-23