

PROJECT

DATE

COMMENTS

5-YEAR WARRANTY

IP44 RATED

UL

RoHS Compliant

MINIMUM ORDER 50PCS

PHYSICAL	
Mirror	Silver Backed Copper Free Low Iron Glass
Frame	Anodized Aluminum
Mounting	Wall Mount
Finish	Silver Brushed Aluminum (Custom sizes available upon request, consult factory for details and pricing.)
Source	LED

PERFORMANCE	
Warranty	5 years
Certification	UL, RoHS Compliant
IP Rating	IP44
Rated Life	50,000 hours
CCT	Single CCT: 2700K, 3000K, 4000K, 5000K, 6000K, Field Selectable 3CCT: (27K/30K/40K)
CRI	90+

ORDERING LOGIC

EX: REFLECTIONS-ID-2432-27-SL-HWELV


FAMILY	SIZE¹	CCT	FINISH	OPTIONS	
REFLECTIONS-ID			SL		
2432	24" X 32"	27	2700K	SL Silver Brushed Aluminum	HWELV Hard Wire ELV Dimmable WALL CONTROL BY OTHERS
2436	24" X 36"	30	3000K		HW010 Hard Wire 0-10V Dimmable WALL CONTROL BY OTHERS
3042	30" X 42"	40	4000K		HW Hard Wire On/Off Non-Dimmable WALL CONTROL BY OTHERS
3636	36" X 36"	50	5000K		TB Touch Button Dimmable ON MIRROR SURFACE, REQUIRED FOR FS3
3648	36" X 48"	60	6000K		PB Push Button On/Off ON MIRROR SURFACE
3660	36" X 60"	FS3	Field Selectable 2700K / 3000K / 4000K		DFS Integral Defogger, Single Power Feed for LEDs and Defogger, No Touch Button
4040	40" X 40"				DFDT Integral Defogger, Dual Power Feeds for LEDs and Defogger, Separate Touch Button
				DFDHW	Integral Defogger, Dual Power Feeds for LEDs and Defogger, Hardwire No Touch Button Wall Control by Others
				MS	Radar Motion Sensor ENABLES HANDS FREE AUTO ILLUMINATION

ORDERING NOTES

1 Custom sizes available upon request, consult factory for details and pricing.

ORDERING NOTES

- 1 Custom sizes available upon request, consult factory for details and pricing.
- 2 50pcs minimum order quantity required if mirror not in stock.



ELECTRICAL

Wattage	See Energy Chat on Page 2
Voltage	120V, 50/60Hz
Power Factor	>0.9
Dimmable	Hard Wire or Touch Button




ENERGY CHART

SIZE	WIDTH inches	HEIGHT inches	DEFOGGER SIZE inches	DELIVERED LUMENS	WATTAGE	LED EFFICACY lm/w
2432	24	32	13.8 X 15.7	616	LED LIGHT: 28 DEFOGGER: 32 TOTAL: 60	22
2436	24	36	13.8 X 17.7	660	LED LIGHT: 30 DEFOGGER: 34 TOTAL: 64	22
3042	30	42	15.7 X 19.7	792	LED LIGHT: 36 DEFOGGER: 44 TOTAL: 80	22
3636	36	36	15.7 X 19.7	792	LED LIGHT: 36 DEFOGGER: 44 TOTAL: 80	22
3648	36	48	17.7 X 21.7	946	LED LIGHT: 43 DEFOGGER: 54 TOTAL: 97	22
3660	36	60	17.7 X 31.5	1100	LED LIGHT: 50 DEFOGGER: 78 TOTAL: 128	22
4040	40	40	19.7 X 19.7	902	LED LIGHT: 41 DEFOGGER: 54 TOTAL: 95	22


DIMENSIONS

SIZE 2436




DIMENSIONS (CONTINUED)

SIZE 2442



SIZE 3636



DIMENSIONS (CONTINUED)

SIZE 3642

