

PROJECT	DATE
COMMENTS	



IN STOCK



ENERGY CHART

SPEED SETTING	1	2	3	4	5	6
RPM	102	133	158	177	193	205
Amps	0.04	0.09	0.14	0.20	0.25	0.30
Wattage	4.90	10.80	18.30	25.80	33.30	41.50
CFM	6000	6000	6200	6300	6500	7000
CFM/Watts	0.89	0.89	0.90	0.91	0.92	0.93

ORDERING LOGIC

EX: IBIS-NL-BK

FAMILY	LIGHT KIT / CCT	FINISH
IBIS	NL	BK
	NL No Light Kit CAP PROVIDED	BK Black

IBIS CEILING FAN

Ibis is an interior rated 52-inch modern four blade ceiling fan with a 6-speed DC motor available in a black finish. Ibis comes standard with a remote control or an optional wall control ordered separately.

- Residential
- Commercial
- Hospitality

PHYSICAL

Material	Metal
Blade Material	4 Plywood Blades
Mounting	Suspended
Fan Diameter	52"
Finish	Black
Sloped Ceiling Accommodation	30°

PERFORMANCE

Warranty	10 years for motor & 2 years for blade, housing, and cap
Certifications	Dry Location, ETL
Features	Low Noise
Reversible	Yes

ELECTRICAL

Motor Wattage	35W
Voltage	120V
Motor Type	DC Motor
Controls	6-Speed Remote Control Included

ACCESSORIES ORDERING LOGIC (ORDER SEPARATELY)

EX: 6WC-DIM-G-52

ACCESSORIES


6WC-DIM-G-52* 6-Speed Fan and Light Kit Dimmer Wall Control
[CLICK HERE FOR ACCESSORY SPEC SHEET](#)

ORDERING NOTES

* Max distance from 6WC-DIM wall control to the fan receiver is 30ft due to internal transmitter inside wall control.




DIMENSIONS



STANDARD REMOTE CONTROL


6RC-BK

DIMENSIONS



FUNCTIONS

1. Fan ON/OFF Function
2. Fan Speed Settings (1: Lowest / 6: Highest)
3. Timer (1 hr / 4 hr / 8 hr)
4. Light ON Function
5. Light OFF Function
6. Reverse Fan Direction (Reverse Switch)
7. Natural Wind: Automatic Fan Speeds



WALL CONTROL ACCESSORIES

6WC-DIM

6WC-DIM DIMENSIONS

